

State: Uttar Pradesh
Agriculture Contingency Plan for District: Shambhal

1.0 District Agriculture profile					
1.1	Agro-Climatic/ Ecological Zone				
	Agro-Ecological Sub Region(ICAR)		Northern Plain, Hot Subhumib (Dry) Eco-Region (9.1)		
	Agro-Climatic Zone (Planning Commission)		UPPER GANGETIC PLAIN REGION (V)		
	Agro-Climatic Zone (NARP)		UP-2 Mid-western Plain Zone		
	List all the districts falling the NARP Zone* (^ 50% area falling in the zone)				
	Geographical coordinates of district headquarters		Latitude	Longitude	Altitude(mt)
			28.35N	78.37E	
	Name and address of the concerned ZRS/ZARS/RARS/RRS/RRTTS				
	Mention the KVK located in the district with address		Krishi Vigyan Kendra, Rustamnagar Bilari, Moradabad,		
	Name and address of the nearest Agromet Field Unit(AMFU,IMD)for agro advisories in the Zone		S.V.P.U.A.T Meerut		

1.2	Rainfall	Normal RF (mm)	Normal Rainy Days (Number)	Normal Onset (Specify week and month)	Normal Cessation (Specify week and month)
	SW monsoon (June-sep)	881.5	47	3rd Week of June	4th Week of September
	Post monsoon (Oct-Dec)	42.2	12		
	Winter (Jan-March)	77.0	13		
	Pre monsoon (Apr-May)	25.7	7		
	Annual	1026.3			

1.3	Land use pattern of the district (Latest statistics)	Geographical area	Cultivable area	Forest area	Land under non-agricultural use	Permanent pastures	Cultivable wasteland	Land under Misc.tree crops and groves	Barren and uncultivable land	Current fallows	Other fallows
	Area in (,000 ha)	245.3	213.9	0.1	26.6	0.4	1.7	2.9	4.4	4.5	3.8

1.4	Major Soils	Area('000 ha)	Percent(%) of total
	Deep, loamy soils	91.9	43 %
	Deep, silty soils	21.4	10 %

	Deep, fine soils moderately saline and sodic	47.1	22 %
--	--	------	------

1.5	Agricultural land use	Area('000 ha)	Cropping intensity (%)
	Net sown area	200.9	171
	Area sown more than once	165.8	
	Gross cropped area	366.8	

1.6	Irrigation	Area('000 ha)		
	Net irrigation area	196.9		
	Gross irrigated area	267.7		
	Rain fed area	4.1		
	Sources of irrigation (Gross Irr. Area)	Number	Area('000 ha)	Percentage of total irrigated area
	Canals		0.03	
	Tanks		0	
	Open wells		103.8	38.7
	Bore wells (Tube wells)		161.2	60.2
	Lift irrigation schemes		NA	
	Micro-irrigation		NA	
	Other sources		2.8	1.1
	Total Irrigated Area		267.7	
	Pump sets			
	No. of Tractors			
	Groundwater availability and use* (Data source: State/ Central Ground water Department/ Board)	No of blocks- Tehsils-	(%)area	Quality of water
	Over exploited			
	Critical			
	Semi-critical			
	Safe			
Waste water availability and use				
Ground water quality				

*over-exploited groundwater utilization> 100%; critical: 90-100%; semicritical:70-90%; safe:<70%

1.7 Area under major field crops & (As per latest figures 2011-12)

1.7	Major field crops cultivated	Area ('000 ha)							Summer	Total
		Kharif			Rabi					
		Irrigated	Rain fed	Total	Irrigated	Rain fed	Total			
01	Rice	37.9	0	37.9	-	-	-	-	37.9	
02	Bajra	0.003	74.8	74.8	-	-	-	-	74.8	
03	Wheat	-	-	-	139.8	0	139.8	-	139.8	
04	Rapeseed Mustard	-	-	-	10.7	0	10.7	-	10.7	
05	Sugarcane	28.3	0	28.3	-	-	-	-	28.3	
06	Potato	-	-	-	8.7	0	8.7	-	8.7	

	Horticulture crops -Fruits	Area ('000 ha)		
		Total	Irrigated	Rainfed
	Mango	1.408	1.408	-
	Guava	0.319	0.319	-
	Horticulture crops -			
	Potato	-	-	-
	Onion	-	-	-
	Pea	0.050	0.050	-

1.12	Sowing window for 5 major field crops	Rice	Wheat	Sugarcane	Toria/ Mustard	Mentha
	Kharif- Rainfed	June-July	-	-	-	-
	Kharif-Irrigated	June-July	-	October	-	-
	Rabi- Rainfed	-	November - December	-	September-October	-
	Rabi-Irrigated	-	November - December	March-April	October	January-March

1.13	What is the major contingency the district is prone to? (Tick mark)	Regular	Occasional	None
	Drought		√	
	Flood		√	
	Cyclone			√
	Hail storm		√	
	Heat wave		√	
	Cold wave		√	
	Frost		√	
	Sea water intrusion			√
	Sheath Blight, Stemborrer, Pyrilla Loos smut, Heliothis, Rust etc white grub.	√		
	Fog			

2.0 Strategies for weather related contingencies

2.1 Drought

2.1.1 Rainfed situation

Condition			Suggested Contingency measures		
Early season drought (delayed onset)	Major Farming situation	Normal Crop / Cropping system	Change in crop / cropping system including variety	Agronomic measures	Remarks on Implementation
Delay by 2 weeks 4 th week of June	Deep soil, yellow color alluvial loam soils	Maize/ Sorghum/ Bajra/ Pigeonpea	Maize: Kanchan, Navin Navjyoti, Azad utam, Surya, Meerut pili, Ganga 2, 11 Samrat etc Sorghum: CSH 14, 16, CSB 13, 15, SPB 1338 etc Bajra: Raj-171, WCC-75, Pusa 23, 322 ICMH-451 Pigeonpea: UPAS 120, ICPL 151, Pusa 33	Conservation furrow, Inter-cultivation, Sowing with multi seed drill, Wider spacing for pigeonpea	Seed-drill under RKVY, Supply of seed through govt. agencies <i>ie.</i> NFSM, RKVY
Condition			Suggested Contingency measures		
Early season drought (delayed onset)	Major Farming situation	Normal Crop/cropping system	Change in crop/cropping system	Agronomic measures	Remarks on Implementation

Delay by 4 weeks 2 nd week of July	Deep soil, yellow color alluvial loam soils	Maize/ Bajra/ Sesame/Blackgram	Maize: Kanchan, Navin Navjyoti, Azad utam,Surya,Meerut pili,Ganga 2,11 Samrat etc Bajra: Raj-171,WCC-75,Pusa 23, 322 ICMH-451 Sesame: Pergati, shekar, TA-78, TA-12 Blackgram: Narender Blackgram-1, Pant U-30, 19, 35 etc	Conservation furrow, Inter-cultivation, Sowing with multi seed drill	Seed-drill under RKVY, Supply of seed through govt. agencies <i>ie.</i> NFSM
Condition			Suggested Contingency measures		
Early season drought	Major Farming situation	Normal Crop/cropping system	Change in crop/cropping system	Agronomic measures	Remarks on Implementation
Delay by 6 weeks 4 th week of July	Deep soil, yellow colored alluvial loam soils	Blackgram/Greengram / Bajra	Blackgram: Narender Blackgram-1, Pant U-30, 19, 35 Greengram: Pant Mung bean -2, 3, Narender mung -1, 4, SML-668, PDM-11 Bajra: Raj-171,WCC-75,Pusa 23, 322 ICMH-451	Sowing with multi seed drill	
Condition			Suggested Contingency measures		
Early season drought	Major Farming situation	Normal Crop/cropping system	Change in crop/cropping system	Agronomic measures	Remarks on Implementation
Delay by 8 weeks 2 nd week of August	Deep soil, yellow colored alluvial loam soils	Toria	Toria: P.T.-30, 507, 303, Bhawani, T-9	Conservation furrow, Inter-cultivation, Sowing with multi seed drill	Seed-drill under RKVY, Supply of seed through govt. agencies <i>ie.</i> NFSM

Condition			Suggested Contingency measures		
Early season drought (Normal onset)	Major Farming situation	Normal Crop / Cropping system	Crop management	Soil nutrient & moisture conservation measures	Remarks on Implementation

Normal onset followed by 15-20 days dry spell after sowing leading to poor germination/crop stand etc.	Irrigated upland	Rice/ Sugarcane/ Maize/ Sorghum (Fodder)	1. Thinning, weeding and gap filling in existing crop. 2. Re sowing 3. Selection/nursery sowing of short duration rice cultivar	Inter cultivation, Conservation furrow, Thinning and weeding, Mulching	Supply of inter cultural implements through RKVY, Farm ponds through IWSSM programme, Pulse crop seeds supply through NFSM
	Irrigated lowland	Rice/ Sugarcane/ Sorghum (Fodder)			
	Un irrigated upland	Maize/ Sorghum/ Pigeonpea			
	Un irrigated lowland	Blackgram/ Greengram			
Condition			Suggested Contingency measures		
Mid season drought (long dry spell, consecutive 2 weeks rainless (>2.5 mm) period)	Major Farming situation	Normal Crop/cropping system	Crop management	Soil nutrient & moisture conservation measures	Remarks on Implementation
At vegetative stage	Irrigated upland	Rice/ Sugarcane/ Maize/ Sorghum (Fodder)	Thinning, weeding and gap filling in existing crop, Re sowing, Postponement of top dressing of Urea, Life saving irrigation	Inter cultivation, Conservation furrow, Thinning and weeding, Mulching	Supply of inter cultural implements through RKVY, Farm ponds through IWSSM programme, Pulse crop seeds supply through NFSM, Micro/drip/sprinkler irrigation under govt. schemes
	Irrigated lowland	Rice/ Sugarcane/ Sorghum (Fodder)			
	Un irrigated upland	Maize/ Sorghum/ Pigeonpea			

	Un irrigated lowland	Maize/ Sorghum/ Bajra/ Til/ Pigeonpea			
--	----------------------	---------------------------------------	--	--	--

Condition	Major Farming situation	Normal Crop/cropping system	Suggested Contingency measures		
			Crop management	Soil nutrient & moisture conservation measures	Remarks on Implementation
At flowering/ fruiting stage	Irrigated upland	Rice/ Sugarcane/ Maize/ Sorghum (Fodder)	Thinning, weeding and gap filling in existing crop, Life saving irrigation, Weeding and weed mulching	Conservation furrow, Thinning and weeding, Mulching, Urea spray	Farm ponds through IWSM programme
	Irrigated lowland	Rice/ Sugarcane/ Sorghum (Fodder)			
	Un irrigated upland	Maize/ Sorghum/ Pigeonpea			
	Un irrigated lowland	Bajra/ Til			

Condition	Major Farming situation	Normal Crop/cropping system	Suggested Contingency measures		
			Crop management	Rabi crop planning	Remarks on Implementation
Terminal drought (Early withdrawal of monsoon)	Irrigated upland	Rice/ Sugarcane/ Maize/ Sorghum (Fodder)	Life saving irrigation, Picking/harvesting of pods/ear, Harvest at physiological maturity stage , Harvest for fodder	Toria/mustard, Potato, Pea/Chickpea, Barseem/oat	Farm ponds through IWSM programme, Supply of seed through ISOPM, Harvesting and threshing implements through RKVY, Supply of land lazer labeler through CLDP or RKVY
	Irrigated lowland	Rice/ Sugarcane/ Sorghum (Fodder)			
	Un irrigated upland	Maize/ Sorghum/ Pigeonpea			
	Un irrigated	Pigeonpea/ Bajra/ Til			

	lowland				
--	---------	--	--	--	--

1.1.2. Drought -Irrigated situation

Condition	Major Farming situation	Normal Crop/ cropping system	Suggested Contingency measures		
			Change in crop/cropping system	Agronomic measures	Remarks on Implementation
Delayed release of water in canals due to low rainfall	Upland sandy loam soils	Rice (Basmati)-Wheat	Replace rice with maize or aerobic rice Use short duration varieties e.g. Rice: PS 4, 5, PB 1, PRH 10 Maize: Kanchan, Sweta, Navin, Surya Bajra:WCC-75, Raj-171, Pusa-23, Pusa-322	Light irrigation with tube well water, Follow alternate wetting and drying schedule of irrigation in rice, Alternate Furrow irrigation, Mulching in sugarcane/maize	<ul style="list-style-type: none"> Seed through KSSC and NFSM Adequate supply of electricity/ diesel should be ensured by the Govt. agencies.
		Sorghum (Fodder)/Maize-Potato/ Wheat	Bajra/Greengram/ Blackgram - Potato/ Wheat		
		Sugarcane +cucurbits – Ratoon-Wheat	No change		
	Lowland clay loam soils	Rice-wheat	Basmati rice –Wheat Use short duration varieties e.g. Rice: PS 4, 5, PB 1, PRH 10	Light irrigation with tube well water, Follow alternate wetting and drying schedule of irrigation in rice, Alternate Furrow irrigation, Mulching in sugarcane	
		Sorghum fodder-Wheat	Bajra-Wheat Bajra:WCC-75, Raj-171, Pusa-23, Pusa-322		
		Sugarcane-Ratoon-Wheat	No change		
Condition	Major Farming situation	Normal Crop/cropping system	Change in crop/cropping system	Agronomic measures	Remarks on Implementation
Limited release of water in canals	Upland sandy loam soils	Rice (Basmati)-Wheat	No change	Follow alternate wetting and drying schedule of irrigation in rice,	<ul style="list-style-type: none"> Adequate supply of electricity/diesel should be ensured
		Sorghum (Fodder)/Maize-Potato/ Wheat	No change		

Condition	Major Farming situation	Normal Crop/ cropping system	Suggested Contingency measures		
			Change in crop/cropping system	Agronomic measures	Remarks on Implementation
due to low rainfall		Sugarcane +cucurbits – Ratoon-Wheat	No change	Alternate Furrow irrigation, Mulching in sugarcane/ maize	by the Govt. agencies. • Supply of inter cultural implements through RKV
	Lowland clay loam soils	Rice-wheat	No change	Follow alternate wetting and drying schedule of irrigation in rice, Alternate Furrow irrigation, Mulching in sugarcane/ maize	
		Sorghum Fodder-Wheat	No change		
		Sugarcane-Ratoon-Wheat	No change		

Condition	Major Farming situation	Normal Crop/cropping system	Suggested Contingency measures		
			Change in crop/cropping system	Agronomic measures	Remarks on Implementation
Non release of water in canals under delayed onset of monsoon in catchment	Upland tube well irrigated canal sandy loam soil	Basmati rice	Maize/Aerobic Rice	Limited irrigation, Alternate furrow irrigation, Drip irrigation, Mulching	• Seed through KSSC and NFSM • Supply of inter cultural implements through RKVY
		Sorghum/Maize	Bajra /Pigeonpea/Blackgram		
		Sugarcane +cucurbits	Sugarcane		
	Lowland tube well irrigated canal clay loam soil	Rice	Bajra/Blackgram/Greengram	Limited irrigation Alternate furrow irrigation Drip irrigation Mulching	
		Sorghum Fodder	Bajra/Sorghum Fodder		
		Sugarcane + cucurbits	Sugarcane		

Condition	Suggested Contingency measures			
	Major Farming situation	Normal Crop/cropping system	Change in crop/cropping system	Agonomic measures
Lack of inflows into tanks due to insufficient /delayed onset of monsoon	Not Applicable			

Condition	Suggested Contingency measures				
	Major Farming situation	Normal Crop/cropping system	Change in crop/cropping system	Agonomic measures	Remarks on Implementation
Insufficient groundwater recharge due to low rainfall	Upland tube well irrigated canal sandy loam soil	Basmati rice	Maize/Aerobic Rice /Vegetables (Tomato, Brinjal, cucrbits etc)	Limited irrigation Alternate furrow irrigation Drip irrigation Mulching	Seed through KSSC and NFSM, Harvesting and threshing implements through RKVY
		Sorghum/Maize	Bajra /Pigeonpea/Blackgram		
		Sugarcane +cucurbits	Sugarcane		
	Lowland tube well irrigated canal clay loam soil	Rice	Bajra/Blackgram/Greengram	Limited irrigation, Alternate furrow irrigation, Drip irrigation, Mulching	
		Sorghum Fodder	Bajra/Sorghum Fodder		
		Sugarcane + cucurbits	Sugarcane		

2.2 Unusual rains (untimely, unseasonal etc) (for both rainfed and irrigated situations)

Condition	Suggested contingency measure			
	Vegetative stage	Flowering stage	Crop maturity stage	Post harvest
Continuous high rainfall in a short span leading to water logging	Provide drainage	Provide drainage	Drain out excess water, Harvesting at physiological maturity stage	Shift to safer place & dispose of produce as early as possible

Sugarcane	Provide drainage	Provide drainage	Drain out excess water and harvest the lodged crop as early as possible	Supply to sugar mills /crusher as early as possible or shift to safer place and cover the cane with trash materials
Blackgram or Greengram	Provide drainage	Provide drainage	Drain out excess water, Harvesting at physiological maturity stage.	Safe storage against storage pest and disease
Horticulture				
Okra	Provide drainage	Provide drainage	Picking of vegetables at physiological maturity stage	Shift to safer place & dispose of produce as early as possible
Cucurbits	Provide drainage	Provide drainage	Drain out excess water & Harvesting at physiological maturity stage and picking of cucurbits crop.	Shift to safer place & dispose of produce as early as possible
Brinjal	Provide drainage	Provide drainage	Picking at physiological maturity stage	Shift to safer place & dispose of produce as early as possible
Tomato	Provide drainage	Provide drainage	Picking at physiological maturity stage	Shift to safer place & dispose of produce as early as possible
Mango	-	-	Spray of 2% urea + Carbendazim 0.02% solution	-
Guava	-	-	Spray of 2% urea + Carbendazim 0.02% solution	-
Heavy rainfall with high speed winds in a short span²				
Sugarcane	Earthing up Tying		Drain out excess water and harvest the lodged crop as early as possible	Supply to sugar mills /crusher as early as possible or shift to safer

				place and cover the cane with trash materials
Maize/Sorghum	Provide drainage	Provide drainage, Use wind breaks	Drain out excess water, Harvesting at physiological maturity stage	Shift to safer place & dispose of produce as early as possible
Blackgram/ Greengram	Provide drainage	Provide drainage, Use wind breaks	Drain out excess water, Harvesting at physiological maturity stage	Shift to safer place & dispose of produce as early as possible
Rice basmati	Provide drainage	Provide drainage	Drain out excess water, Harvesting at physiological maturity stage	Shift to safer place & dispose of produce as early as possible
Pigeonpea	Provide drainage, Sowing on raised bed	Provide drainage	Drain out excess water, Harvesting at physiological maturity stage	Shift to safer place & dispose of produce as early as possible
Horticulture				
Okra	Provide drainage, Sowing on raised bed	Provide drainage	Drain out excess water ,Harvesting at physiological maturity stage	Shift to safer place & dispose of produce as early as possible
Brinjal	Provide drainage, Sowing on raised bed	Provide drainage	Drain out excess water ,Harvesting at physiological maturity stage	Shift to safer place & dispose of produce as early as possible
Tomato	Provide drainage, Sowing on raised bed, Stacking	Provide drainage, Use wind breaks, Stacking	Drain out excess water , Harvesting at physiological maturity stage, Stacking	Shift to safer place & dispose of produce as early as possible
Cauliflower	Provide drainage, Sowing on raised bed	Provide drainage	Drain out excess water, Harvesting at physiological maturity stage	Shift to safer place & dispose of produce as early as possible

				early as possible
Cucurbits	Provide drainage, Sowing on raised bed	Provide drainage	Drain out excess water, Harvesting at physiological maturity stage	Shift to safer place & dispose of produce as early as possible
Mango	Use Wind breaks	Use of NAA spray	Use of NAA spray	-
Guava	Use Wind breaks	Use of NAA spray	Use of NAA spray	-
Outbreak of pests and diseases due to unseasonal rains				
Rice basmati	Need based plant protection IPDM for Rice/pluses	Need based plant protection IPDM for Rice/pluses	Do not use strong pesticide at maturity stage	Shift to safer place & dispose of produce as early as possible
Sugarcane				
Sorghum fodder				
Blackgram/ Greengram				
Pigeonpea				
Horticulture				
Okra	Need based plant protection IPDM for Rice/pluses	Need based plant protection IPDM for Rice/pluses	Do not use strong pesticide at maturity stage	Shift to safer place & dispose of produce as early as possible
Brinjal				
Tomato				
Cucurbits				

2.3 Floods

Condition	Suggested contingency measure			
	Seedling / nursery stage	Vegetative stage	Reproductive stage	At harvest
Transient water logging/ partial inundation ¹				
Rice (basmati)	<ul style="list-style-type: none"> • Re sowing of nursery • Direct sowing of rice 	<ul style="list-style-type: none"> • Provide drainage 	<ul style="list-style-type: none"> • Provide drainage 	Shift to safer place & dispose of

	<ul style="list-style-type: none"> • Sowing of nursery on raised bed 			produce as early as possible
Sugarcane	<ul style="list-style-type: none"> • Direct sowing 	<ul style="list-style-type: none"> • Provide drainage 	<ul style="list-style-type: none"> • Provide drainage 	Shift to safer place & dispose of produce as early as possible
Sorghum fodder	<ul style="list-style-type: none"> • Direct sowing 	<ul style="list-style-type: none"> • Provide drainage 	<ul style="list-style-type: none"> • Provide drainage 	Shift to safer place & dispose of produce as early as possible
Blackgram/ Greengram	<ul style="list-style-type: none"> • Direct sowing 	<ul style="list-style-type: none"> • Provide drainage 	<ul style="list-style-type: none"> • Provide drainage 	Shift to safer place & dispose of produce as early as possible
Pigeonpea	<ul style="list-style-type: none"> • Direct sowing 	<ul style="list-style-type: none"> • Provide drainage 	<ul style="list-style-type: none"> • Provide drainage 	Shift to safer place & dispose of produce as early as possible
Horticulture				
Okra	<ul style="list-style-type: none"> • Re sowing of nursery • Sowing of nursery on raised bed • Re transplanting 	<ul style="list-style-type: none"> • Provide drainage 	<ul style="list-style-type: none"> • Provide drainage 	Shift to safer place & dispose of produce as early as possible
Brinjal	<ul style="list-style-type: none"> • Re sowing of nursery • Sowing of nursery on raised bed • Re transplanting 	<ul style="list-style-type: none"> • Provide drainage 	<ul style="list-style-type: none"> • Provide drainage 	Shift to safer place & dispose of produce as early as possible
Tomato	<ul style="list-style-type: none"> • Re sowing of nursery • Sowing of nursery on raised bed • Re transplanting 	<ul style="list-style-type: none"> • Provide drainage 	<ul style="list-style-type: none"> • Provide drainage 	Shift to safer place & dispose of produce as early as possible

Continuous submergence for more than 2 days²	-	-	-	Shift to safer place & dispose of produce as early as possible
Rice	<ul style="list-style-type: none"> • Re sowing of nursery • Direct sowing of rice • Sowing of nursery on raised bed 	<ul style="list-style-type: none"> • Provide drainage 	<ul style="list-style-type: none"> • Provide drainage 	Shift to safer place & dispose of produce as early as possible
Horticulture				

Okra	<ul style="list-style-type: none"> • Re sowing of nursery • Sowing of nursery on raised bed • Re transplanting 	• Provide drainage	• Provide drainage	Shift to safer place & dispose of produce as early as possible
Brinjal	<ul style="list-style-type: none"> • Re sowing of nursery • Sowing of nursery on raised bed • Re transplanting 	• Provide drainage	• Provide drainage	Shift to safer place & dispose of produce as early as possible
Tomato	<ul style="list-style-type: none"> • Re sowing of nursery • Sowing of nursery on raised bed • Re transplanting 	• Provide drainage	• Provide drainage	Shift to safer place & dispose of produce as early as possible
Mango	<ul style="list-style-type: none"> • Re sowing of nursery • Sowing of nursery on raised bed • Re transplanting 	• Provide drainage	• Provide drainage	Shift to safer place & dispose of produce as early as possible
Sea water intrusion	Not Applicable			

2.4 Extreme events: Heat wave / Cold wave/Frost/ Hailstorm /Cyclone/Fog

Extreme event type	Suggested contingency measure			
	Seedling / nursery stage	Vegetative stage	Reproductive stage	At harvest
Heat Wave				
Rice basmati	<ul style="list-style-type: none"> • Re sowing of nursery • Light and frequent irrigation during night 	• Irrigation interval should be decreased	• Irrigation interval should be decreased	Light and frequent irrigation
Sugarcane	• Mulching	• Irrigation interval should be decreased	• Irrigation interval should be decreased	Light and frequent irrigation
Sorghum fodder	• Re sowing	• Irrigation interval should be decreased	• Irrigation interval should be decreased	Make silage
Blackgram /Greengram	<ul style="list-style-type: none"> • Re sowing • Mulching 	• Light irrigation for survival	• Light irrigation for survival	• Pod picking
Pigeonpea	• Re sowing	• Light irrigation for survival	• Light irrigation for survival	• Pod picking

	<ul style="list-style-type: none"> • Mulching 			
Horticulture				
Okra	<ul style="list-style-type: none"> • Re sowing of nursery • Re transplanting • Mulching • Light watering during night 	<ul style="list-style-type: none"> • Light irrigation for survival 	<ul style="list-style-type: none"> • Light irrigation for survival 	<ul style="list-style-type: none"> • Harvesting of fruits
Brinjal	<ul style="list-style-type: none"> • Re sowing of nursery • Re transplanting • Mulching • Light watering during night 	<ul style="list-style-type: none"> • Light irrigation for survival 	<ul style="list-style-type: none"> • Light irrigation for survival 	<ul style="list-style-type: none"> • Harvesting of fruits
Tomato	<ul style="list-style-type: none"> • Re sowing of nursery • Re transplanting • Mulching of nursery beds • Light irrigation during night 	<ul style="list-style-type: none"> • Light irrigation for survival 	<ul style="list-style-type: none"> • Light irrigation for survival 	<ul style="list-style-type: none"> • Harvesting of fruits
Mango	<ul style="list-style-type: none"> • Spray of water 	<ul style="list-style-type: none"> • Spray of water 	<ul style="list-style-type: none"> • Spray of water 	
Guava	<ul style="list-style-type: none"> • Spray of water 	<ul style="list-style-type: none"> • Spray of water 	<ul style="list-style-type: none"> • Spray of water 	
Cold wave				
Wheat	Light irrigation	Light irrigation	Light irrigation	Light irrigation
Sugarcane	-	<ul style="list-style-type: none"> • Light irrigation for survival 	--	Harvesting of cane
Horticulture				
Tomato		<ul style="list-style-type: none"> • Light Sprinkler irrigation 	<ul style="list-style-type: none"> • Light Sprinkler irrigation 	Harvesting of fruits
Pea		<ul style="list-style-type: none"> • Light Sprinkler irrigation 	<ul style="list-style-type: none"> • Light Sprinkler irrigation 	Harvesting of fruits
Potato		<ul style="list-style-type: none"> • Light Sprinkler irrigation 	--	Harvesting
Frost				
Sugarcane	<ul style="list-style-type: none"> • Light irrigation 	<ul style="list-style-type: none"> • Light irrigation 	<ul style="list-style-type: none"> • Light irrigation 	Harvesting of cane
Pigeonpea	<ul style="list-style-type: none"> • Grow as inter crop 	<ul style="list-style-type: none"> • Light irrigation 	<ul style="list-style-type: none"> • Light irrigation 	Smoke at night

	• Smoke at night	• Smoke at night	• Smoke at night	
Horticulture				
Potato	•Light irrigation for survival •Smoke at night	•Light irrigation for survival •Smoke at night	•Light irrigation for survival •Smoke at night	Harvesting
Tomato	•Light irrigation for survival •Smoke at night	•Light irrigation for survival •Smoke at night	•Light irrigation for survival •Smoke at night	De halming
Pea	•Light irrigation for survival •Smoke at night	•Light irrigation for survival •Smoke at night	•Light irrigation for survival •Smoke at night	• Harvesting
Mango	• Irrigation &Smoking during night	•Irrigation &Smoking during night	•Irrigation &Smoking during night	--
Guava	•Irrigation &Smoking during night	•Irrigation &Smoking during night	•Irrigation &Smoking during night	Harvesting
Hailstorm				
All the crops	Re sowing	Re sowing of catch crop	Harvest for fodder	Pre Harvesting
Horticulture				
All the Vegetable crops	Re sowing	Re sowing of Catch crop	Harvest for fodder	Pre Harvesting
All the Fruit crops	Use anti hail net, Spray of fungicide with 2% urea solution	Use anti hail net Spray of fungicide with 2% urea solution	Use anti hail net, Spray of fungicide with 2% urea solution	Harvest the damaged fruits Spray of fungicide with 2% urea solution
Fog	Not applicable			

2.5 Contingent strategies for Livestock, Poultry & Fisheries

2.5.1 Livestock

	Suggested contingency measures		
	Before the event	During the event	After the event
Drought			
Feed and fodder availability	<ul style="list-style-type: none"> • Fodder crop Insurance • Making of feed blocks • Encourage farmers to allocate some lands for cultivating perennial fodder (Napier grass, Subabul), specially on bunds and wasteland • Establishing fodder banks, encouraging fodder crops in irrigated area • Making silage or hay of excess fodder. • Statistics regarding feed/fodder availability and requirement should be updated by the concerned deptt. • Seed production and development of drought resistant crops and their varieties of fodder crops. • Encourage farmers to adopt sprinkler irrigation system. • Training to the farmers and extension functionaries for production and long term storage of feed and fodder. 	<ul style="list-style-type: none"> • Utilizing fodder from perennial trees/shrubs/fodder bank reserves for small ruminant. • Utilizing stored fodder as silage, hay, feed blocks & mixture etc. • Migration of herd /flock to other places. • Establishment of communication and linkage with other state agencies. 	<ul style="list-style-type: none"> • Availing crop insurance • Cultivation of fast growing green fodder crops. • Development of drought resistance fodder. • Increase the no. of fodder Banks for future use.
Drinking water	<ul style="list-style-type: none"> • Preserving water in the pond/tank for drinking purpose. • Excavation of bore well/creation of tanks or ponds. 	<ul style="list-style-type: none"> • Using preserved water in the tanks for drinking • Available ground water should be used for drinking on priority basis. 	<ul style="list-style-type: none"> • Recharge of well/ Tanks etc.

	<ul style="list-style-type: none"> • De-silting of village ponds on regular basis and adopt water harvesting techniques through water shed approach. • Filling of the ponds with canal/tube well water during lean period. 		
Health and disease management	<ul style="list-style-type: none"> • Farmers should be encouraged to avail livestock insurance • Training to livestock owners regarding natural calamities. • Veterinary preparedness with medicines and vaccines. • Vaccination 	<ul style="list-style-type: none"> • Conduction mass animal health camp and treating the effected animals. • Mass campaigning though different media regarding possible outbreak of diseases and their management. 	<ul style="list-style-type: none"> • Availing insurance benefits. • Followed standard Livestock management practices. • Proper health care & treatment.
Floods			
Feed and fodder availability	<ul style="list-style-type: none"> • Fodder crop Insurance • Making of feed blocks • Encourage farmers to allocate some lands for cultivating perennial fodder (Napier grass, Subabul), specially on bunds and wasteland • Establishing fodder banks, encouraging fodder crops. • Making silage or hay of excess fodder and that should be stored on up land. • Statistics regarding feed/fodder availability and requirement should be updated by the concerned deptt. • Seed production and development of crops and their varieties of fodder crops for water logged conditions. • Training to the farmers and extension functionaries for production and long term storage of feed and fodder. 	<ul style="list-style-type: none"> • Utilizing fodder from perennial tress/shrubs/fodder bank reserves. • Use of feed mixture/block hay etc • Migration of flock /herds • Establishment of communication and linkage with other state agencies 	<ul style="list-style-type: none"> • Availing crop insurance • Cultivation of fast growing green fodder crops

Drinking water	<ul style="list-style-type: none"> • Making suitable provision for safe drinking surface water including excavation of bore well/hand pump (India mark—II) at community level. • Make farmers aware not to use contaminated/ flood water for drinking purpose. 	<ul style="list-style-type: none"> • Contaminated flood water should not be used for drinking. 	<ul style="list-style-type: none"> • Open sources of drinking water (tank/well) should be further treated with potassium permanganate.
Health and disease management	<ul style="list-style-type: none"> • Live stock Insurance • Training to livestock owners regarding natural calamities. • Veterinary preparedness with medicines and vaccines. • Vaccination 	<ul style="list-style-type: none"> • Conduction mass animal health camp and treating the effected animals. • Training to livestock owners regarding natural calamities. • Establishment of Co-ordination with other Agencies. • Use of mass media to spread expert advice 	<ul style="list-style-type: none"> • Culling sick animals • Availing insurance benefits. • Culling unproductive livestock • Proper disposal of corpse of dead bodies to prevent the spread of contagious diseases.
Cyclone	Not Applicable		
Heat wave and cold wave			
Shelter/environment management	<ul style="list-style-type: none"> • Avoid use of GI sheet for roofing in the animal shed • Create adequate sources for additional supply of water to protect the animals from heat waves. • Establishment of modern shelter sheds. • As far as possible grow shade trees such as Neem, Pilkhan, Karanj etc near the animal sheds. • Make provision for adequate no. of fans/coolers /heaters according to the situation, if possible 	<ul style="list-style-type: none"> • Provide the thatches/ tarpaulins/ rags in the animal sheds to protect against direct entry of hot/ cold waves • Provide proper bedding to prevent from cold and proper ventilation to prevent from heat. • Provide drinking water to animal frequently during heat wave • Watch the forecast of weather department. • As far as possible the animal should be allowed to wallow in pounds/ canals/ river or give bath once or twice in a day during heat waves 	<ul style="list-style-type: none"> • Repair and maintenance of additional facilities

Health and disease management	<ul style="list-style-type: none"> • Insure the animals • Training to livestock owners/ para-vets regarding preventive measure against extreme weather conditions • Veterinary preparedness with medicines and vaccines etc. • Vaccination against FMD & Cold 	<ul style="list-style-type: none"> • Organize village level animal health camps • Consult veterinary officer immediately if any adverse symptoms are noticed • Use of ITKs for food supplements 	<ul style="list-style-type: none"> • Proper after care of animals. • Availing insurance benefits. • Proper disposal of corpse of dead bodies to prevent the spread of contagious diseases.
-------------------------------	---	--	---

2.5.2 Poultry

	Suggested contingency measures			Convergence/linkages with ongoing programs, if any
	Before the event ^a	During the event	After the event	
Drought				
Shortage of feed ingredients	<ul style="list-style-type: none"> • Making and storage of feed concentrates • Awareness regarding traditional feed banks. • Feed requirement data should be generated • Prepare the feed requirement data base of poultry farm. • Store the feed ingredients 	<ul style="list-style-type: none"> • Use of feed concentrates/ mixture/blocks etc • Establishment of communication with other state agencies. • Use of locally available feed recourses. • Import the feed recourse form other states. 	<ul style="list-style-type: none"> • Availing insurance • Increase the no. of feed banks for future use 	
Drinking water	<ul style="list-style-type: none"> • Making extra facility for drinking water. • Repair & maintenance of water resources 	<ul style="list-style-type: none"> • Frequent supply of drinking water 		

Health and disease management	<ul style="list-style-type: none"> • Veterinary preparedness with medicines and vaccines. • Vaccination • Training to poultry Growers regarding natural calamities. 	<ul style="list-style-type: none"> • Treatment of affected poultry birds 	<ul style="list-style-type: none"> • Culling of flock • Availing insurance benefits • Proper disposal of corpse of dead bodies to prevent the spread of contagious diseases 	
Floods				
Shortage of feed ingredients	<ul style="list-style-type: none"> • Sufficient quantity of feed ingredients should be stored 	<ul style="list-style-type: none"> • Use of stored feed in balanced form • Prevent the feed from moisture. 	<ul style="list-style-type: none"> • Cleaning of feed store & repair if any. • Moist feed should be dried & treated as per requirement 	
Drinking water	<ul style="list-style-type: none"> • Make provision of ground water for drinking 	<ul style="list-style-type: none"> • Use only Ground water obtained from India Mrka II or Tubewell 	<ul style="list-style-type: none"> • Repair, maintenance and cleaning of water recourse • Sanitation of open Wells 	
Health and disease management	<ul style="list-style-type: none"> • Veterinary preparedness with medicines and vaccines • Vaccination 	<ul style="list-style-type: none"> • Migration of flock if required 	<ul style="list-style-type: none"> • Availing insurance benefits. • Culling of unproductive flock 	
Cyclone	Not Applicable			
Shortage of feed ingredients	<ul style="list-style-type: none"> • Storage and making of feed concentrates • Proper feed requirement data base 	<ul style="list-style-type: none"> • Establishment of communication with other state agencies • Use of stored feed ingredient • Import of feed from other areas 	<ul style="list-style-type: none"> • Repair and maintenance of feed store 	

Drinking water	<ul style="list-style-type: none"> • Make provision of ground water for drinking 	<ul style="list-style-type: none"> • Use only Ground water obtained from India Mrka II or Tubewell 	<ul style="list-style-type: none"> • Repair and maintenance of water recourse 	
Health and disease management	<ul style="list-style-type: none"> • Training to poultry growers regarding natural calamities. • Veterinary preparedness with medicines and vaccines. 	<ul style="list-style-type: none"> • Treatment of injured poultry birds. 	<ul style="list-style-type: none"> • Culling of flock • Availing insurance benefits. • Proper disposal of corpse of dead bodies to prevent the pared of contagious diseases. 	
Heat wave and cold wave				
Shelter/environment management	<ul style="list-style-type: none"> • Making sufficient provision of shelter to protect live stock from heat and cold waves • Establishment of alternate resource for water supply. • Modern shelter sheds. 	<ul style="list-style-type: none"> • Keep the birds in appropriate shelter • Provide proper bedding to prevent from cold and proper ventilated to prevent from heat • Provide drinking water to birds frequently. • Adopted proper management practices. • Watch the fore cast of weather department. 	<ul style="list-style-type: none"> • Making of modern shelter sheds • Increase the plantation of trees 	
Health and disease management	<ul style="list-style-type: none"> • Insurance • Veterinary preparedness with medicines and vaccines • Training to poultry growers regarding natural calamities 	<ul style="list-style-type: none"> • Provide proper treatment as per requirement • Treatment of injured poultry 	<ul style="list-style-type: none"> • Availing insurance benefits • Culling of unproductive flock • Proper disposal of corpse of dead bodies to prevent the pared of contagious diseases 	

2.5.3 Fisheries/ Aquaculture

	Suggested contingency measures		
	Before the event	During the event	After the event
1) Drought			
A. Capture			
Marine	–	–	–
Inland			
(i) Shallow water depth due to insufficient rains/inflow	<ul style="list-style-type: none"> • Adopt appropriate measures to reduce water seepage or infiltration 	<ul style="list-style-type: none"> • Harvest the crop partially 	<ul style="list-style-type: none"> • Re stock
(ii) Changes in water quality	<ul style="list-style-type: none"> • Regular observation to check the water quality and remove the pollutants if any. 	<ul style="list-style-type: none"> • Add oxy-flow to improve oxygen • Churning of pond water 	<ul style="list-style-type: none"> • Maintain appropriate level of water if possible • Check the water quality and remove the pollutants if any.
B. Aquaculture			
(i) Shallow water in ponds due to insufficient rains/inflow	<ul style="list-style-type: none"> • Adopt appropriate measures to reduce water seepage or infiltration from ponds • Avoid any kinds of water pollution and maintain water pH 	<ul style="list-style-type: none"> • Ensure the Oxygen availability into ponds for the survival of fish • Avoid any kind of water pollution • Add oxy-flow to improve oxygen into ponds. • Churning of pond water 	<ul style="list-style-type: none"> • Maintain appropriate level of water in ponds • Check the water quality and remove the pollutants if any.
(ii) Impact of salt load build up in ponds / change in water quality	<ul style="list-style-type: none"> • Add some fresh water from other source like cannel etc 	<ul style="list-style-type: none"> • Add oxy-flow to improve oxygen into ponds. • Churning of pond water • Add fresh water into pond for life saving and to reduce salt load 	<ul style="list-style-type: none"> • Add fresh water into pond for life saving and to reduce salt load • Maintain appropriate level of water in ponds • Check the water quality and remove the pollutants if any.

2) Floods			
A. Capture			
Marine	--	--	--
Inland			
(i) No. of boats / nets/damaged	<ul style="list-style-type: none"> Boats, nets etc should be taken out from water bodies 	<ul style="list-style-type: none"> Close supervision of flood condition 	<ul style="list-style-type: none"> Damaged boat or nets should be repaired
(ii) No. of houses damaged	–	–	<ul style="list-style-type: none"> Repair the damaged house.
(iii) Loss of stock	–	–	<ul style="list-style-type: none"> Sanitation and proper disposal of corpse
(iv) Changes in water quality	<ul style="list-style-type: none"> Increase the height of bunds. 	--	--
(v) Health and diseases	--	<ul style="list-style-type: none"> Treatment if possible 	--
B. Aquaculture			
(i) Inundation with flood water	<ul style="list-style-type: none"> Repair the bunds to prevent the inflow of water If inflow water is not polluted then place the net at inlet and outlet Raise the height of bunds Plan a proper drainage system at farm Plantation of soil binding plants at bund 	<ul style="list-style-type: none"> Avoid inflow of flood water from outside. If inflow water is not polluted that can be permitted to flow through net placed at inlet and outlet of pond. Fencing of net required in case of overflow to avoid the migration of fish 	<ul style="list-style-type: none"> Repair the damaged bunds Check water quality Change the water if it is polluted
(ii) Water contamination and changes in water quality	<ul style="list-style-type: none"> Limeing @300 kg/ha 	<ul style="list-style-type: none"> Stop inflow of contaminated water 	<ul style="list-style-type: none"> Maintain appropriate level of water in ponds Check the water quality and remove the pollutants if any.
(iii) Health and diseases	<ul style="list-style-type: none"> Limeing @300 kg/ha Vaccination 	<ul style="list-style-type: none"> Diagnostic measures and provide appropriate medicines 	<ul style="list-style-type: none"> Limeing and medication as per requirement Use Cifex to control ulcerative

			syndromes
(iv) Loss of stock and inputs (feed, chemicals etc)	<ul style="list-style-type: none"> • Marketable stock should be sold 	<ul style="list-style-type: none"> • Immediately remove the dead fishes from ponds and do sanitation 	<ul style="list-style-type: none"> • After sanitation add new stock
(v) Infrastructure damage (pumps, aerators, huts etc)	<ul style="list-style-type: none"> • Dommageable infrastructures should be secured 	<ul style="list-style-type: none"> • Do not supplié Electric in flood éd area 	<ul style="list-style-type: none"> • Repaire and service the damage infrastructure
3. Cyclone / Tsunami	Not Applicable		
4. Heat wave and cold wave			
A. Capture			
Marine	--	--	--
Inland			
B. Aquaculture			
(i) Changes in pond environment (water quality)	<ul style="list-style-type: none"> • Maintain appropriate level of water in ponds <i>ie.</i> 1.75m in 2m deep ponds • Check the water quality and remove the pollutants if any 	<ul style="list-style-type: none"> • Maintain appropriate level of water in ponds <i>ie.</i> 1.75m in 2m deep ponds • Check the water quality and remove the pollutants if any 	<ul style="list-style-type: none"> • Maintain appropriate level of water in ponds <i>ie.</i> 1.75m in 2m deep ponds • Check the water quality and remove the pollutants if any
i) Health and Disease management	<ul style="list-style-type: none"> • Limeing@300kg/ha 	<ul style="list-style-type: none"> • Medication as per requirement 	<ul style="list-style-type: none"> • Remove the dead fishes from ponds and add new stocks to compensate the production